

DATE IN:

TEST REPORT

Page 1 of 2

REPORT NUMBER: TURA120126919

APPLICANT NAME: Kervan Tekstil Plastik Ambalaj San. Tic. Ltd. Şti.

ADDRESS: Hacıeyüplü Mah. 3215 Sok. No: 3 DenizliGümüşler Denizli / TÜRKİYE

TEL:0258 3720542 FAX:0258 3721912

Attention: Murat Balta (info@kervantekstil.com)

SAMPLE DESCRIPTION: One sample of Transparent packaging material

5 November ,2012 (11:24) **DATE OUT:** 6 November, 2012

	SAMPLE
TEST	1
Determination of Free and Hydrolised Formaldehyde Test (Water extraction method)	Р

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT

The test results relate only to the items tested. The whole and/or the part of this test report shall not be reproduced and shall not be shared with third parties, nor to be used for PR activities without the written permission of INTERTEK Test Hizmetleri A.S.

The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and UKAS accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. Tests marked (*) in this test report are not included in the UKAS accreditation schedule for this laboratory.

Zeynep Akın Assistant Chemical Laboratory Manager Neslihan Sözer **Chemical Laboratory Manager**





Page 2 of 2 6 November ,2012

Test Method Results Requirements

Determination of Free and Hydrolised Formaldehyde Test (Water extraction method)

BS EN ISO 14184 - 1:2011 Free and Hydrolized Formaldehyde by UV-VIS Analysis

< 10 ppm <75 ppm*

*Eco Testing Standard for Textiles

ppm (part per million) =mg / kg
Detection Limit =10 ppm
< =Less Than
Estimated Total Uncertainity=(±6%)

END OF TEST REPORT

